



Web Images Groups^{New!} News Froogle [more »](#)

memory "block mode" "burst mode" serial 2

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 93 of about 146 for **memory "block mode" "burst mode" serial 232**. (0.46 seconds)

[PDF] Model 6065P

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 512k Bytes of transmit and receive **memory** are user ... MODES OF DATA TRANSMISSION **Block Mode** Transmission begins with ... **Burst Mode** Single burst of characters after a ...

www.racalstruments.com/pdf/mature/6065.pdf - [Similar pages](#)

[PDF] HS-5210/5020 HS-5210V/5020V HS-5210P/5020P

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... & IRQ selection On-board W83877 super I/O. Two high-speed **serial RS-232** ports (with ... On-board SiS 5598 UMA VGA, a new generation and **memory** share controller ...

www.boser.com.tw/manual/HS-52105020v2.2.pdf - [Similar pages](#)

Note 33.0 System Config of DL Devices No replies FURILO::GIORGETTI ...

... 3. Direct **memory** access (DMA) I/O has precedence over interrupt I/O ... of active DMA devices), the use of **burst-mode** DMA or, on the Q-bus, **block-mode** DMA could ...

www.ibiblio.org/pub/academic/computer-science/history/pdp-11/hardware/micronotes/numerical/micronote33.txt - 38k -

[Cached](#) - [Similar pages](#)

[PDF] 440LX Chipset AMI BIOS

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... and choose On to support IDE drives that use **Block Mode**. ... BIOS will try to detect the **memory** and do ... EDO Read Burst Timing **Burst mode** EDO have internal column ...

www.supermicro.com/manuals/motherboard/440LX/440LX_BIOS.pdf - [Similar pages](#)

[PDF] P5MMA98/P5MMS98 P5MMA2/P5MMS2 AMI BIOS

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... On to support IDE drives that use **Block Mode**. ... to enable the USB (Universal **Serial** Bus) functions. ... sets the timing for system **memory burst mode** read operations. ...

www.supermicro.com/manuals/motherboard/430TX/430TX_BIOS.pdf - [Similar pages](#)

[[More results from www.supermicro.com](#)]

[PDF] ROCKY – 518HV Ver. 4.x

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... EPP/ECP Parallel Port • IrDA port : Support **Serial** Infrared(SIR ... Pentium w/ VGA Single Board Computer • RS-232/Printer Cable ... 2.4 **Memory** Address for VGA BIOS ...

www.voxtechnologies.com/SBCs/pdf/icp/rocky-518hv-ver4-0.pdf - [Similar pages](#)

[PDF] Advanced Pentium Motherboard IN5598

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **Memory** Sites 4 SIMM Sockets, **Burst Mode** Read-Write support. ... Video **Memory** UMA supports 0.5M 4M EDO DRAM. ... I/O I/O Controller Winbond W83877TF **Serial** Ports Two ...

www.bcmcom.com/tech/in5598/IN5598.PDF - [Similar pages](#)

[PDF] SQ578 Pentium PCI Mainboard

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Universal **Serial** Bus (USB): Two standard USB interface supports up to 48MHz and 127 peripheral ... Close for CMOS **memory** clear ... 3.1.9 Cyrix Linear **Burst MODE** (JP18) ...

www.bcmcom.com/tech/sq578/578-man.pdf - [Similar pages](#)

[[More results from www.bcmcom.com](#)]

[PDF] SBC-554V Half-size 586 CPU Card with PISA Bus SBC-555 Half-size ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... On-board features include two high speed RS-232 serial ports with 16C550 UARTs, one ... 554V/555 includes an extra 512 KB of second level on-board cache **memory**. ...
www.embeddedcomputerboards.com/pdf/sbc555manual.pdf - [Similar pages](#)

[PDF] [SBC-598](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Supports SPP, ECP, and EPP. **Serial ports**: 2 RS-232 serial ports. ... APM 1.2 compliant
Display memory: Supports shared system **memory** up to 4MB. ...
www.embeddedcomputerboards.com/pdf/sbc598manual.pdf - [Similar pages](#)

[[More results from www.embeddedcomputerboards.com](#)]

[pdf] [Contents](#)

File Format: Microsoft Word 97 - [View as HTML](#)

... System **Memory**. Three 168-pin DIMM **memory** slots (4/8/16/32/64/128MB module). Supports maximum 384MB with SDRAM. ... 2 RS-232 Serial Ports (16550 UART compatible). ...
[ftp.isu.edu.tw/pub/Hardware/gainward/manual/MainBoard/6ILA%20Manual%20\(E\).doc](ftp.isu.edu.tw/pub/Hardware/gainward/manual/MainBoard/6ILA%20Manual%20(E).doc) - [Similar pages](#)

[PDF] [MGPT-PNTM-B System Board User's Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 4-7 IDE HDD **Block Mode**: **Cache Memory**: Supports 256KB and 512KB using 32Kx8 or 64Kx8
 DIP standard SRAMs ... On-Board I/O Two RS-232-C serial outputs (COM1 and COM2 ...
<ftp.isu.edu.tw/pub/Hardware/mylex/manuals/mgpt.PDF> - [Similar pages](#)

[PDF] [Premiere/PCI II Baby-AT Board & Expandable Desktop](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... reset control • CPU L1 cache control • CPU **burst mode** control • CPU ... or <F1> key after the POST **memory** test has ... is unused), two DB9 RS-232 serial ports, a ...
www.x86.org/ftp/manuals/motherbd/28162602.pdf - [Similar pages](#)

[PDF] [MOPSIcd4](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Power Supply 5V only supply • **Memory** ... Two **serial ports**, (COM1 and COM2) standard RS232C **serial ports** with FIFO, 16550 compatible ... **Burst Mode** support ...
www.jumpteck.de/product/data/pc104/manuals/P488m115.pdf - [Similar pages](#)

[PDF] [TL-SBC 7260 ®](#)

File Format: PDF/Adobe Acrobat

... 2.6 COM 2 RS-232 / 422 / 485 ... 3.4 **Serial Ports**....16 ... IRQ , 1st MB **Memory** and I/O ...
www.technoland.com/usersmanual/TL-SBC%207260.pdf - [Similar pages](#)

[PDF] [TL-SBC 5700/5710](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **memory** up to 256M • **Cache memory** – 512KB Pipeline Burst SRAM –
 Level 2 cache standard ... **Serial Port** – Two RS-232 ports ...
www.technoland.com/usersmanual/TL-SBC%205700.pdf - [Similar pages](#)

[PDF] [IB500 USER'S MANUAL](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... LS120) 1x Parallel Port (EPP, ECP Port) 2x **Serial Ports** (1x ... of the DIMM align with those on the **memory** slot. ... COM2) Selection COM1 is fixed for RS-232 use only. ...
www.ibasetechnology.net/pdf%20manuals/IB50010A.pdf - [Similar pages](#)

[PDF] [USER INFORMATION](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 5V supply **Memory** ... Standard RS232C **serial ports** with FIFO ... LynxEM+ LCD VGA Controller with PCI bus interface, including **burst-mode** support • 2MB ...
www.diamondpoint.co.uk/manuals/pc104/kontron/M_MOPSIcdSE_MOPSSE_PSTEM111.pdf - [Similar pages](#)

[PDF] [SI5TTM](#)

[PDF] [Hunter Triton](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... Intel 430TX PCIset • Up to 128MB system **memory** • Onboard C&T ... bi-directional
 SPP/ECP/EPP parallel port • Four **serial** ports (two RS-232, one RS ...
www.mycomp.com.tw/manual/si5ttm10.pdf - [Similar pages](#)

[PDF] [Hunter Triton](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... 28 PCI **Burst Mode**..... ... minimum access speed **Memory** capacity:
 1 to ... speed RS-232 **serial** ports 16Byte ...
www.americanpredator.com/downloads/manuals/pnht2.pdf - [Similar pages](#)

[PDF] [Hunter Industrial](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... 29 PCI **Burst Mode**..... ... minimum access speed **Memory** capacity:
 1 to ... speed RS-232 **serial** ports 16Byte ...
www.americanpredator.com/downloads/pdf/pnhti.pdf - [Similar pages](#)
 [[More results from www.americanpredator.com](#)]

[VAX 4000 Model 300 Technical Information Order Number EK-337AB-TI ...](#)

... write 399 nanoseconds Non-page mode **memory** write 504 ... data transfers Up to 16-byte
block mode DMA Data ... data transfers Up to 16-word **burst mode** DMA, truncated to ...
deathrow.vistech.net/~cvisors/DEC94MDS/337abt2.txt - 101k - [Cached](#) - [Similar pages](#)

[VAX 4000 Model 200 Technical Information Order Number EK-396AB-TM ...](#)

... Mass storage · Communications · Real-time · Printer · **Memory** The specifications ... Up
 to 16-byte **block mode** DMA Data ... Up to 16-word **burst mode** DMA, truncated ...
deathrow.vistech.net/~cvisors/DEC94MDS/396abtm2.txt - 101k - [Cached](#) - [Similar pages](#)
 [[More results from deathrow.vistech.net](#)]

[PDF] [SBC8159 Series User's Manual](#)

File Format: PDF/Adobe Acrobat
 ... 2 1.2.2 Universal **Serial** Bus 11 2.2.3 DiskOnChip **Memory** Segment: JP10
www.axiomtek.com.tw/Download/Manual/SBC8159.pdf - [Similar pages](#)

[PDF] [ROCKY-3705EV-R2 ®](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... COM 2 RS-232 / 422 / 485 ... 3.4 **Serial** Ports18 ... 1st MB **Memory** and I/O ...
www.jenlogix.co.nz/images/manuals/rocky-3705ev.pdf - [Similar pages](#)

[PDF] [POS-370\(R/N\) ®](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... 15 2.8 COM 2 RS-232 / 422 / 485 Setup ... 21 3.4 **Serial** Ports ... Appendix C. DMA ,
 IRQ , 1st MB **Memory** and I/O Address Map....81 Appendix ...
www.jenlogix.co.nz/images/manuals/pos-370.pdf - [Similar pages](#)
 [[More results from www.jenlogix.co.nz](#)]

[PDF] [SBC-556/L](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... Onboard features include two high-speed RS-232 **serial** ports with 16C550 UARTs, one ...
 SBC-556/L includes an extra 512 KB of second level on-board cache **memory**. ...
www.tri-m.com/products/aaeon/files/manual/sbc556_man.pdf - [Similar pages](#)

[PDF] [PCISA-3716E2V](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... 2.6 COM 2 RS-232 / 422 / 485 ... 3.4 **Serial** Ports.....
 16 ... DMA , IRQ , 1st MB **Memory** and I ...
www.tri-m.com/products/icp/files/manual/pcisa3716_man.pdf - [Similar pages](#)

[PDF] [TCS-IESE31 ®](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 2.8 COM2 RS-**232** / 422 / 485 ... 3.4 **Serial** Ports23 ... IRQ , 1st MB **Memory** and I/O ...

totalcontrolsolutions.com/manuals/TCS-IEMB31.pdf - [Similar pages](#)

[PDF] [POS-370 @](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 2.9 COM 2 RS-**232** / 422 / 485 Setup ... 3.4 **Serial**

Ports.....23 ... IRQ, 1 st MB **Memory** and I ...

www.aplus-sa.com/download/docs/pos-370.pdf - [Similar pages](#)

[PDF] [Z80 Family CPU Peripherals](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... UM008101-0601 List of Figures xii Direct **Memory** Access (continued) Figure 74. WAIT

Line Sampling in Variable-Cycle Timing 204 **Serial** Input/Output ...

www.zilog.com/docs/z80/um0081.pdf - [Similar pages](#)

[PDF] [SY-5SSM SY-5SSM/5 Super 7™ Motherboard](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 3-pin Chassis Cooling Fan Connector **Memory** DIMM Bank ... **232 Serial** Connector IR1 5-pin

Serial Infrared Device ... Switch 2-pin Connector J1 CPU **Burst Mode** Jumper JP5 ...

www.soyo.com.tw/dl/manuals/586new/m5ssm20.pdf - [Similar pages](#)

[PDF] [SY-5STM Mainboard](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... CPUFAN 3-pin CPU Cooling Fan Connector **Memory** DIMM Bank ... Dual Voltage Type Jumper

JP22 CPU **Burst Mode** Jumper JP30 CPU ... Port COM1 1 x Onboard RS-**232 Serial** Port PS ...

www.soyo.com.tw/dl/manuals/586new/m5stm10.pdf - [Similar pages](#)

[PDF] [3115T R3 15" Thin Line Industrial Flat Panel PC](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... AGP VGA Controller: On chip SIS300 3D (Share **memory** up to 64MB RAM) ... One RS-**232**

or RS ... Floppy disk drive • Four high-speed **Serial** ports: NS16C550 ...

www.xycom.com/admin/cms/resource_library/ manuals/d0de13485e9ba622/141876_e_.pdf - [Similar pages](#)

[PDF] [ROCKY-3705EV](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 2.6 COM 2 RS-**232** / 422 / 485 ... 3.4 **Serial** Ports.....

17 ... DMA, IRQ, 1st MB **Memory** and I/O ...

www.ipos-sa.com/fr/support/support/rocky-3705ev.pdf - [Similar pages](#)

[PDF] [NOVA-7896/7896FW @](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 2.6 COM 2 RS-**232** / 422 / 485 ... 3.4 **Serial** Ports.....

19 ... DMA, IRQ, 1st MB **Memory** and I/O ...

www.ipos-sa.com/fr/support/support/nova-7896fw.pdf - [Similar pages](#)

[[More results from www.ipos-sa.com](#)]

[PDF] [The I/O Subsystem Chapter Seven](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **memory** and a few selected peripherals (eg, the PCI ... In this **block mode** the DMA controller

can negotiate just ... This "**burst mode**" allows the device to move lots of ...

webster.cs.ucr.edu/AoA/Windows/PDFs/IO.pdf - [Similar pages](#)

[PDF] [1.1 Introduction 1.2 Package Contents](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Bank **Memory** module DDR 1 64MB, 128MB, 256MB, 512MB, 1GB ... 1.7.1.3 **Serial** Interface

Port: COM1 The **serial** interface port ... sometimes referred to as an RS-**232** port or ...

www.keian.co.jp/download/kcf-s768/CF-S76.pdf - [Similar pages](#)

[PDF]

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... playback Display **memory**: on board EDO DRAM 1MB up to 2 MB Display resolution: support Flat-panel resolutions up to 640x480 ... **Serial** port : One RS-232 port and ...
f.ipc2u.ru/add/doc/432/NEAT-575-MAL.pdf - [Similar pages](#)

[PDF] [ROCKY-3705EV-R2 @](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 12 2.6 COM 2 RS-232 / 422 / 485 Setup ... 18 3.4 **Serial** Ports ... Appendix C. DMA , IRQ , 1st MB **Memory** and I/O Address Map...71 Appendix ...
f.ipc2u.ru/add/doc/455/rock-3705ev-r2-v2.3.pdf - [Similar pages](#)

[[More results from f.ipc2u.ru](#)][PDF] [82374EB82374SB EISA SYSTEM COMPONENT \(ESC\)](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Flash BIOS real time clock keyboardmouse controller floppy controller two **serial** ports one ... 3211 DMA **MEMORY** LOW PAGE REGISTER DMA **MEMORY** BASE LOW PAGE REGISTER ...
www.isdaman.com/alsos/hardware/isa/290476.pdf - [Similar pages](#)

[PDF] [USER'S MANUAL](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

... SPK Universal **Serial** Bus Connector **SSD Memory** Installation
www.denichi.com/assets/pdf_files/sbc551.pdf - [Similar pages](#)

[PDF] [PowerPC™ Microprocessor Common Hardware Reference Platform: I/O ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 231 A.4 VGA Programming Considerations 233 A.4.1 Programming the Registers 235
 A.4.2 RAM Loadable Character Generator 236 A.4.3 Creating a Split Screen 236 ...
www-1.ibm.com/servers/eserver/pseries/library/chrp_ioref_1.0.pdf - [Similar pages](#)

[PDF] [REX3 Specification](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Bus Interface with synchronous / asynchronous / **burst mode** slave support ... The **serial** ports of the frame buffer are ... third section is the **memory** controller and ...
honk.physik.uni-konstanz.de/~agx/doc/Indy/rex3.pdf - [Similar pages](#)

[PDF] [PCI 9054](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 19 2.2.5.2.1 Continuous **Burst Mode** (Bterm "Burst Terminate ... 28 2.4.4 **Serial** EEPROM Timing ... Page vii Version 1.0 3.4.1.1 Direct Master **Memory** and I/O Decode ...
www.nikhef.nl/~peterj/datasheets/9054db-1C.pdf - [Similar pages](#)

[Third Party Hardware for the IBM RISC System/6000 January 15, 1994 ...](#)

... KB/sec data transfer rate and 3.0 MB/sec **burst mode**. ... a real-time interface for I/O and **memory** access in ... fully AIX file-system compatible with **block mode** or raw ...
www.uni-kassel.de/hrz/sysadmin/AIX/Hardware/Haendler.asc - 101k - [Cached](#) - [Similar pages](#)

[PDF] [The LVLASO I/O Concentrator Software Description, Version 3.5](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

... insert the chassis into the ring in the **burst mode**. ... the analog board by addressing **memory** mapped control ... ground station is ARINC-429 **block mode** transmission at ...
techreports.larc.nasa.gov/ltrs/PDF/1998/cr/NASA-98-cr206907.pdf - [Similar pages](#)

[PDF] [Super 7](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

... ビン メス パラレルポート COM1 1 x Onboard RS-232 シリアルポート PS ... コネクタ
 USB1, USB2 2 x Onboard USB (Universal **Serial** Bus) コネクタ ...
www.soyo.co.jp/manual/5SSM10J.pdf - [Similar pages](#)

[PDF] IPC - 586 VDF (C) 586 全长 CPU ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

... DRAM 也可以被 灵活的使用为最大可能的提高板卡性能 IPC-586VDF(C)提供
512KB 二 级高速缓存 板上性能包括一个RS-232 口一个RS ...

www.evoc.com.cn/Download/download/master/IPC-586VDFC.PDF - [Similar pages](#)
[PDF] FSC-1731VN(R)AFile Format: PDF/Adobe Acrobat - [View as HTML](#)

... Super I / O 芯片 一个 FDD 接口一个并口二个RS - 232 一个PS ...

Double Data Rate) DIMM Dual Inline **Memory** Modules 184pin ...

[www.evoc.com.cn/Download/download/master/FSC-1731VN\(R\)A.PDF](http://www.evoc.com.cn/Download/download/master/FSC-1731VN(R)A.PDF) - [Similar pages](#)
[\[More results from www.evoc.com.cn \]](#)
[PS] DECstation 3100 Desktop Workstation Functional SpecificationFile Format: Adobe PostScript - [View as Text](#)

... Initialization **Block MODE** Word (NIB_MODE ... DIGITAL EQUIPMENT CORPORATION **memory** should
be written before it ... The **serial** transmitters are double buffered, while the ...

ftp.digital.com/pub/Digital/specs/DS3100.ps.Z - [Similar pages](#)
[PS] A Thesis Presented to the Faculty of the School of Engineering and ...File Format: Adobe PostScript - [View as Text](#)

... **memory** is the use of **block mode** transactions. ... In such a transfer, the **memory** movement
or I/O ... Furthermore, the efficiency of **burst mode** bus transactions may be ...

www.cs.virginia.edu/~techrep/CS-93-55.ps.Z - [Similar pages](#)
[PDF] L'évolution de l'ordinateur à nos jours et leurs ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

... La mémoire vive (RAM pour Random Access **Memory**) permet de stocker des informations
pendant tout le temps de fonctionnement de l'ordinateur, s contre détruit ...

www.miralab.unige.ch/subpages/outilsinformatiques/cours/Evolution_versionlong.pdf - [Similar pages](#)
[PDF] Postgraduate Subject DetailsFile Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. POSTGRADUATE STUDIES 205 Postgraduate Subject Details BAO5735 ADVANCED
FORECASTING, PLANNING AND CONTROL Campus City Flinders Prerequisite(s) Nil. ...

www.vu.edu.au/library/pdf/5SciencePostgraduateSubjects.pdf - [Similar pages](#)
[PDF] 4S648/4S648FXFile Format: PDF/Adobe Acrobat - [View as HTML](#)

... Bank **Memory** module DIMM 1 ... COM 1 / COM 2 串行界面端口有时和RS -

232 端口关联或者是一个不同步的通讯端口。鼠标 ...

[www.acorp.net.cn/Resource_download/manual/4S648\(N\)4S648FX\(N\).pdf](http://www.acorp.net.cn/Resource_download/manual/4S648(N)4S648FX(N).pdf) - [Similar pages](#)
[PDF] October 2004 CLASSIFICATION DEFINITIONS 345 - 1 CLASS 345 ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

... data. The display control includes, for example, control between a display
memory and the display elements*. ... (also see: Data) **MEMORY** A ...

www.uspto.gov/go/classification/uspc345/defs345.pdf - [Similar pages](#)
[PS] 2 ae MPsf Nr. 44File Format: Adobe PostScript - [View as Text](#)

... oder secondary **serial** : : : : 231 ... Services : : : : **232** 10.19 ... Usable **Memory** Size ...

ftp2.de.freebsd.org/pub/mpsf/pc_doc/dosbesch.ps - [Similar pages](#)
[PS] Gamma \GammaFile Format: Adobe PostScript - [View as Text](#)

... " ause. Seine wichtigsten Teile sind der Zentralprozessor (central processing unit, CPU), und der Arbeitsspeicher (**memory**). Um recht in Freuden arbeiten zu k ...

www.thp.uni-duisburg.de/doc/unix.ps.gz - [Similar pages](#)

[PDF] Yukon HX Motherboard User Manual

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Two RS-**232**-compatible **serial** ports • One multimode, Centronics † -compatible parallel port (ECP/EPP) ... **Burst-mode** bus cycles Page 7. ... **Memory** ...

mobokive.dyndns.org/Archive/Seanix/yukon_hx.pdf - Supplemental Result - [Similar pages](#)

[PDF] Super Micro PII LX BIOS Manual

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **Mode** and choose On to support IDE drives that use **Block Mode**. ... then the BIOS will try to detect the **memory** and do ... **Burst mode** EDO have internal column counters. ...

mobokive.dyndns.org/Archive/Supermicro/ manual/PII%20LX%20ATX%20BIOS%20Manual.pdf -

Supplemental Result - [Similar pages](#)

[[More results from mobokive.dyndns.org](#)]

[PDF] Microsoft PowerPoint - Operating System - Lecture - Session 14 ...

File Format: PDF/Adobe Acrobat

... **Burst Mode** (in **block mode**) ... Moving each to-be-printer characters to the printer's

memory Conduct busy waiting (pooling) to the printer to check it's ...

atlas.binus.ac.id/.../\$FILE/ Operating%20System%20-%20Lecture%20-%20Session%2014%20ver1.0.pdf - Supplemental

Result - [Similar pages](#)

[PDF] ser's anual

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 22 Onboard RS-**232** **Serial** Ports (JCOM1 / JCOM2) 23 Onboard

RS-485 **Serial** Ports (RS1 ... 28 **Memory** Assignment ...

sta.bwi.com/upload_data/documents/ACH-573_manual.pdf - Supplemental Result - [Similar pages](#)

[PDF] ROCKY-3705EV-R2 ®

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 2.6 COM 2 RS-**232** / 422 / 485 ... 3.4 **Serial** Ports18 ... IRQ , 1st MB **Memory** and I ...

sta.bwi.com/upload_data/documents/ Rocky-3705EV-R2%20manual.pdf - Supplemental Result -

[Similar pages](#)

[PDF] PI-6584V

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... In addition, the PI-6584V provides one 168-pin DIMM sockets for its on-board SDRAM.

The RAM module accepts 1MB, 2MB, 4MB, 8MB, 16MB, 32MB, and

www.szics.com/download/manuals/6584MANU.pdf - Supplemental Result - [Similar pages](#)

[PDF] PI-6582V

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... PI-6582V Pentium with VGA Single Board Computer & RS-**232**/Printer Cable ... DiskOnChip

Memory address JP13 pin 3-4 ... 4.2 USB (Universal **Serial** Bus) connector (CN3) ...

www.szics.com/download/manuals/6582MANU.pdf - Supplemental Result - [Similar pages](#)

[PDF] MIC-3350

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 5 8 B.3 COM2 RS-**232**/422/485 **Serial** Port (CN5) 6

6 B.14 1st MB **Memory** Map 6 6 Page 8. ...

support.elmark.com.pl/Advantech/pdf/MIC-3350man.pdf - Supplemental Result - [Similar pages](#)

[PDF] MIC-3355 6u-sized Pentium processor-based CPU module for ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 6 0 B.3 COM2 RS-**232**/422/485 **Serial** Port (CN6) 7 0 B.15 1st MB **Memory** Map

support.elmark.com.pl/advantech/pdf/MIC-3355man.pdf - Supplemental Result - [Similar pages](#)

[[More results from support.elmark.com.pl](#)]

[PDF] [PIM-582](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 512 KB Pipelined Burst SRAM (up 1MB - 2MB) □ **DRAM Memory** : up to ... High Speed Multi I/O □ Chipset : ITE 8661F □ **Serial Ports** : 3 high speed RS-232 ports COM1 ...

www.kumkangtek.com/down/pim-582_user_manual.pdf - Supplemental Result - [Similar pages](#)

[PDF] [Safety and Regulatory Information](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **Memory**. ... COM2 -**Serial Port** This connector allows mouse or the other RS-232 device which use this type connector to transfer data between computer and devices. ...

www.studiobit.pl/ftp/Instrukcje/Procomp%20BS61M/bs61m.pdf - Supplemental Result - [Similar pages](#)

[PDF] [MB-562](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... DiskOnChip 2000 series, **memory** capacity from 2 MB to 72 MB • Two enhanced multi-mode SPP/EPP/ECP parallel ports, four **serial** ports: three RS-232 and one RS ...

www.atlantis.com.ua/pdf/boards/embedded/m-562.pdf - Supplemental Result - [Similar pages](#)

[PDF] [PCM-5894 PCM-5892](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... System **memory**: 8MB to 128MB. Two 72-pin SIMM sockets onboard. ... **Serial** ports: Three RS-232 and one RS-232/422/485 **serial** ports. ...

www.atlantis.com.ua/pdf/boards/embedded/pcm5892.pdf - Supplemental Result - [Similar pages](#)

[Patent 4870622: DRAM controller cache](#)

... This feature is used for **burst mode** operation ... data transfers in the burst or **block mode** because of ... and the controller always making four accesses to the **memory**. ...

www.freepatentsonline.com/4870622.html - 63k - Supplemental Result - [Cached](#) - [Similar pages](#)

[DeutschesFachbuch.de : BIOS. Genau erklärt.](#) - [[Translate this page](#)]

... und Uhrzeit 31 - Floppy Seek 185 - IDE HDD **Block Mode** 187 - Multi ... 181 Fast EDO Leadoff 181 Fast **Memory** Delay 181 ... 260 PCI 2.1 Support 207 PCI **Burst Mode** 207 PCI ...

www.deutsches-fachbuch.de/reinschauen/c9/3815504872.htm - 73k - Supplemental Result - [Cached](#) - [Similar pages](#)

[DeutschesFachbuch.de : BIOS und Troubleshooting Magnum \(m. CD-ROM\) ...](#) - [[Translate this page](#)]

... Hard Disk Detection 97 IDE HDD **Block Mode** 346 IDE ... 616 IDE-BIOS-Einstellungen 338 IDE-**Burst Mode** 345 IDE ... Setup, RDRAM 225 RIMMs (Rambus Inline **Memory** Module) 205 ...

www.deutsches-fachbuch.de/reinschauen/58/3827265479.htm - 101k - Supplemental Result -

[Cached](#) - [Similar pages](#)

[[More results from www.deutsches-fachbuch.de](#)]

[PDF] [ACF-502CV](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... up to 2MB of secondary synchronous **burst-mode** cache & Display ... 230 MHz pixel clock
ó Shared System **Memory** Area 2MB ... ó Two NS16550 Compatible RS-232C **Serial Ports** ...

www.actac.com.tw/%5Cabout%5Cmanual%5CACF-502_manual.pdf - Supplemental Result - [Similar pages](#)

[Scott Mueller Library - Computer Dictionary:Index](#)

... check characters, 136 Block errors, 87 **Block mode**, 224 Block ... 279 Burst-length, 749

Burst mode, 101, 480 ... erasable, programmable read only **memory**, 274 Electrodes ...

www.epmltd.com/.../library.cs.tuiasi.ro/dictionary/sml-computer-dictionary/book-index.html - 101k - Supplemental Result -

[Cached](#) - [Similar pages](#)

[PDF] [3115T Manual](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 19 COM2 RS-232/422/485 Selection ... 61 **Memory** Parity Check ... 62

Onboard **Serial** Port 1/ Port 2/Port 3/Port 4 ...

[https://www.xycom.com/pdfs/usermanuals/industrial/141876\(a\).pdf](https://www.xycom.com/pdfs/usermanuals/industrial/141876(a).pdf) - Supplemental Result - [Similar pages](#)

[PDF] POS-560-B1

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 32 Table 2-20: **Memory** address selection ... 75 Table B-7: POS-560 COM1-3

RS-232 **serial** ports COM4: CN12 RS-422/485 76 Table ...

unix.tpc.cz/mirrors/www.firich.com.tw/Download/Manual/POS560B1.PDF - Supplemental Result - [Similar pages](#)

[PDF] IPPC-920/950 Series

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **Serial** ports: Four **serial** ports with three RS-232 ports (COM1, COM3, and *COM4)

and one RS-232/422/485 ... Universal **serial** bus (USB ... Display **memory**: 2 MB on ...

[support.advantech.com/Cservice/download.nsf/0/d88888b8e5dbdcf94825682b001e558f/\\$FILE/920-950.pdf](http://support.advantech.com/Cservice/download.nsf/0/d88888b8e5dbdcf94825682b001e558f/$FILE/920-950.pdf) -

Supplemental Result - [Similar pages](#)

[PDF] PPC-150

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... ports: Four **serial** ports with three RS-232 ports (COM1, 3, and 4), one

RS-232/422/485 ... Universal **serial** bus (USB ... Chipset: C&T 65555 • Display **memory**: 2 MB ...

[support.advantech.com/Cservice/download.nsf/0/323a85f5910eb1fdc825680000347164/\\$FILE/PPC-](http://support.advantech.com/Cservice/download.nsf/0/323a85f5910eb1fdc825680000347164/$FILE/PPC-150manual.pdf)

150manual.pdf - Supplemental Result - [Similar pages](#)

[PDF] SBC8251 Family User's Manual

File Format: PDF/Adobe Acrobat

... panel with Windows accelerator and Video playback Onboard **memory**: Refer to ... USB Port:

One USB port for future expansion **Serial** Port: One RS-232 port and one ...

www.axiomtek.com.cn/Download/Manual/8251b1.pdf - Supplemental Result - [Similar pages](#)

[PDF] MB87J2120 & MB87P2020 -A Lavender & Jasmine FUJITSU SEMICONDUCTOR ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... It's a single line **serial** interface. ... It consists of three main components Pixel

En- gine (PE), **Memory** Access Unit (MAU) and **Memory** Copy (MCP). ...

www.fme.gsdc.de/pdf/hm-mb87j2120-87p2020-v1-08.pdf - Supplemental Result - [Similar pages](#)

Guma Automatización, S. de RL de CV

... **Block Mode**.- A high-speed data transfer in which the ... **Burst Mode**.- A high-speed data transfer in which the ... FIFO.- First in-first out **memory** buffer- the first ...

www.guma.com.mx/glos_00.htm - 76k - Supplemental Result - [Cached](#) - [Similar pages](#)

[PDF] TABLE OF CONTENTS

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. Corrective Maintenance Doc. #735-408-G1 1 TABLE OF CONTENTS ...

www.infimed.com/.../Tech%20Manual/Software%205.0/Preventive%20Corrective/Corrective%20Maintenance.pdf -

Supplemental Result - [Similar pages](#)

[PDF] TABLE OF CONTENTS

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. Corrective Maintenance Doc. #735-317-G1 Rev.G

ECN# 2836 1 TABLE OF CONTENTS 1.0 OVERVIEW ...

[www.infimed.com/.../Software%204.0/Preventive%20Corrective%20Maintenance/Corrective%](http://www.infimed.com/.../Software%204.0/Preventive%20Corrective%20Maintenance/Corrective%20Maintenance.pdf)

20Maintenance.pdf - Supplemental Result - [Similar pages](#)

[PS] SILICON GRAPHICS PROPRIETARY and CONFIDENTIAL

File Format: Adobe PostScript - [View as Text](#)

... Bus Interface with synchronous / asynchronous / **burst mode** slave support ... needed for a span, the **block mode** also requires ... in segments from host/**memory** is done as ...

ftp.fi.muni.cz/pub/linux/sgi/doc/indy/rex3.ps - Supplemental Result - [Similar pages](#)

[PDF] UntitledFile Format: PDF/Adobe Acrobat - [View as HTML](#)... Main **Memory** Up to 1024MB (1GB) EDO onboard. Up to 512MB SDRAM support. ... Two floppy drives (up to 2.88MB). Two ATX **serial** ports (16550 UARTs). ...www qlab.se/manuals/1692_Tiger.pdf - Supplemental Result - [Similar pages](#)**[PDF] D:pm filess1696 ami bios (2).**File Format: PDF/Adobe Acrobat - [View as HTML](#)... Main **Memory** Up to 1024MB EDO or 512MB SDRAM onboard. Four 168-pin DIMM slots. ... Two floppy drives (up to 2.88MB). Two ATX **serial** ports (16550 UARTs). ...www qlab.se/manuals/1696_Thunder2.pdf - Supplemental Result - [Similar pages](#)**[PDF] VTEL 127S System**File Format: PDF/Adobe Acrobat - [View as HTML](#)... **Serial** Ports ... Available RAM ... RS-232.....www.vtel.com/support/catchall/PDFs/MM_techref.pdf - Supplemental Result - [Similar pages](#)**2 - As nomenclaturas e seus significados (Guia de Referência a ... - [[Translate this page](#)]**... **Block Mode** - Modo de transferência dos discos rígidos onde ... **Burst Mode** - UM padrão de memória de 32 ... PCMCIA (Personal Computer **memory** Card International ...www.starcompo.hpg.ig.com.br/nomes.htm.htm - 66k - Supplemental Result - [Cached](#) - [Similar pages](#)**[PDF] PCA-6166**File Format: PDF/Adobe Acrobat - [View as HTML](#)... 3.5.11 **Memory** Hole ... 3.10.2 IDE **Burst Mode** IDE HDD **Block Mode** www.advantech.net.au/download/ NCG/Pca%206166/PCA6166.pdf - Supplemental Result - [Similar pages](#)**[PDF] CONTENTS**File Format: PDF/Adobe Acrobat - [View as HTML](#)... mainframe can also be flexible, ie, GPIB/VXI, MXI/VXI, RS **232**/VXI, Ethernet ... message based device has common communication elements and a Word **Serial** Protocol to ...www.znztch.com/downloads/catalog.pdf - Supplemental Result - [Similar pages](#)**United States Patent Application: 0030202559**... 504 can initiate both cycle stealing and **burst mode**, along with host ... 203 can transfer in either **block mode** or scatter mode within discontinuous **memory**. ...appft1.uspto.gov/.../Alden - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 93 already displayed.

If you like, you can repeat the search with the omitted results included.











Free! [Google Desktop Search](#): Search your own computer. [Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google









[Yahoo!](#) [My Yahoo!](#) [Mail](#) [Welcome, Guest](#) [\[Sign In\]](#)
[Search Home](#) [Help](#)

[Web](#) | [Images](#) | [Video](#) ^{NEW!} | [Directory](#) | [Local](#) | [News](#) | [Products](#)
YAHOO! SEARCH

[Shortcuts](#) [Advanced Search](#) [Preferences](#)
Search Results Results 1 - 19 of about 20 for **memory block mode burst mode serial 232** - 0.34 sec. ([About](#))

1. [CS 105 – Operating System Session 14 \(PDF\)](#) 
 ... available to main **memory**. **Memory**-Mapped I ... **Burst Mode** (in **block mode**) ... RS-232 terminal communica
 atlas.binus.ac.id/PDC/EasWeb2.nsf/a9eea9fe2de861e147256b7a004b4c11/... - 1661k - [View as html](#) - [More from](#)
2. <http://cmcnabb.cc.vt.edu/dec94mds/337abti2.txt> 
 Bell is a trademark of Bell telephone companies. CHAMP is a registered trademark of AMP Inc. ... from **memory**)
Block mode DMA read 2.4 ... 26 EIA RS-232-C/CCITT V.28 ...
 cmcnabb.cc.vt.edu/dec94mds/337abti2.txt - 157k - [Cached](#) - [More from this site](#)
3. <http://cmcnabb.cc.vt.edu/dec94mds/496abtib.txt> 
 VAX 4000 Model 500A/505A/600A/700A/705A ----- Technical Informatio
 console **serial** line (regardless ... I/O bandwidth **Block mode** DMA read 2.4 ... 26 EIA RS-232-C/CCITT V.28 ...
 cmcnabb.cc.vt.edu/dec94mds/496abtib.txt - 208k - [Cached](#) - [More from this site](#)
4. [FAQ Pages](#) 
 Popular Searches: dvd airfare music. PC FAQ PAGES ... Extra wait states are inserted in all **memory** cycles. ... 8
 www.pcworkshop.freewebspace.com/custom4.html - 265k - [Cached](#) - [More from this site](#)
5. [Model 6065P \(PDF\)](#) 
 ... 512kBytes of **Memory** Allocatable to. Input and Output Buffers. Multiple Channel **Serial** Interface Module ... an
 www.racalate.com/pdf/6065.pdf - 70k - [View as html](#) - [More from this site](#)
6. <http://www.ibiblio.org/pub/academic/computer-science/history/pdp-11/hardware/micronotes/nur>
 On PDP-11s the DL-type SLU is required as the console terminal interface for use with console octal debugging t
 (DMA) I/O ... use of **burst-mode** DMA or, on the Q-bus, **block-mode** DMA could ... modem control. RS-232-C se
 ibiblio.org/.../pdp-11/hardware/micronotes/numerical/micronote33.txt - 38k - [Cached](#) - [More from this site](#)
7. [Data Direct Glossary of Computer Terms](#) 
 ... networks. **Block Mode** ... of measurement for **serial** data-transmission capacity ... **memory** area in which data
 www.lksd.org/technology/techmanual/other/general gloss.html - 199k - [Cached](#) - [More from this site](#)
8. <http://saturn.med.nyu.edu/~stokes/doc/pc-unix-info/faq.pc.txt> 
 It should be read by anyone who wishes to post to any group in the comp.sys.ibm.pc.hardware.* ... with my 486?
 each access of a "**burst mode**" **memory** read. The fastest ...
 saturn.med.nyu.edu/~stokes/doc/pc-unix-info/faq.pc.txt - 365k - [Cached](#) - [More from this site](#)
9. <http://www.cs.colostate.edu/~dzubera/FAQs/pc.hardware.faq> 
 Archive-name: pc-hardware-faq Last-modified: 1997/11/10 Version: 1.25 This FAQ was compiled and written by W
Memory terminology, what does it mean ... Q) 3.19 Are there any >4 channel **serial** port cards ... each access of
 www.cs.colostate.edu/~dzubera/FAQs/pc.hardware.faq - 461k - [Cached](#) - [More from this site](#)
10. http://www.ncsa.uiuc.edu/People/lindsey/wri_home/sysadmin/ibmpc.faq 
 Archive-name: pc-hardware-faq/part1 Last-modified: 1994/10/10 Version: 1.9 This FAQ was compiled and written
Memory terminology, what does it mean ... Q) 3.16 *Are there any >4 **serial** port cards ... each access of a "**burs**
 www.ncsa.uiuc.edu/People/lindsey/wri_home/sysadmin/ibmpc.faq - 373k - [Cached](#) - [More from this site](#)
11. http://www.pa.msu.edu/~wilkinson/faq/pc_hardware.txt 
 Archive-name: pc-hardware-faq/part1 Last-modified: 1995/02/10 Version: 1.12 This FAQ was compiled and writte
 2.14 **Memory** terminology, what does it mean ... Q) 3.17 *Are there any >4 **serial** port cards ... each access of a "

www.pa.msu.edu/~wilkinson/faq/pc_hardware.txt - 412k - [Cached](#) - [More from this site](#)

12. <http://oldwww.nvg.ntnu.no/data/hardware/comp.sys.ibm.pc.hardware-faq> 
Archive-name: pc-hardware-faq/part1 Last-modified: 1997/11/10 Version: 1.25 This FAQ was compiled and written by 2.14 **Memory** terminology, what does it mean ... Q) 3.19 Are there any >4 channel **serial** port cards ... each access of a "burst mode" memory read. The fastest ...
oldwww.nvg.ntnu.no/data/hardware/comp.sys.ibm.pc.hardware-faq - [More from this site](#)
13. <http://vbk.campus.luth.se/tmp2/HARDWA~1.TXT> 
Archive-name: pc-hardware-faq/part1 Last-modified: 1995/07/10 Version: 1.15 This FAQ was compiled and written by 2.14 **Memory** terminology, what does it mean ... 3.18 Are there any >4 channel **serial** port cards ... each access of a "burst mode" memory read. The fastest ...
vbk.campus.luth.se/tmp2/HARDWA~1.TXT - 435k - [Cached](#) - [More from this site](#)
14. [Underground Computers Inc - Computer FAQ](#) 
... buggy Pentium? Q) 2.14 **Memory** terminology, what does it mean ... 2.20 What does parity/ECC **memory** protect? ...
vbk.campus.luth.se/tmp2/COMPFA~1.HTM - 309k - [Cached](#) - [More from this site](#)
15. <http://hq.inet.ru/~bob/docs/faq/hardware.faq> 
It should be read by anyone who wishes to post to any group in the comp.sys.ibm.pc.hardware.* ... my buggy Pentium cards ... each access of a "burst mode" memory read. The fastest ...
hq.inet.ru/~bob/docs/faq/hardware.faq - 471k - [Cached](#) - [More from this site](#)
16. <http://www.uni-kassel.de/hrz/sysadmin/AIX/Hardware/Haendler.asc> 
Alternately, if you are on the Internet, you can get this document via anonymous ftp. 1.
www.uni-kassel.de/hrz/sysadmin/AIX/Hardware/Haendler.asc - 523k - [Cached](#) - [More from this site](#)
17. <http://www.fabersoft.net/docs/docs.txt> 
It should be read by anyone who wishes to post to any group in the comp.sys.ibm.pc.hardware.* ... with my 486? ... each access of a "burst mode" memory read. The fastest ...
www.fabersoft.net/docs/docs.txt - 387k - [Cached](#) - [More from this site](#)
18. http://thorkildsen.no/faqs/docs/pc_hware.faq 
It should be read by anyone who wishes to post to any group in the comp.sys.ibm.pc.hardware.* ... my buggy Pentium cards ... each access of a "burst mode" memory read. The fastest ...
thorkildsen.no/faqs/docs/pc_hware.faq - 414k - [Cached](#) - [More from this site](#)
19. <http://www.bigtom.ch/HARD- SOFTWARE/Drh400.txt> 
MMX CPUID-Details Kennung Family:5 Model:8, Step:Ch Hersteller AuthenticAMD CPU-Name interAMD-K6(tm) DETECT - SDRAM ... **Burst Mode** & K6 Write Allocation Supports M1/M2 Linear Burst Order nein Enable L2-Cache ...
www.bigtom.ch/HARD- SOFTWARE/Drh400.txt - 96k - [Cached](#) - [More from this site](#)

In order to show you the most relevant results, we have omitted some entries very similar to the ones already displayed. If you like, you can [repeat the search with the omitted results included](#).

[Web](#) | [Images](#) | [Video](#) NEW! | [Directory](#) | [Local](#) | [News](#) | [Products](#)

Your Search:

Help us improve your search experience. [Send us feedback](#).

Copyright © 2005 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Submit Your Site](#) - [Job Openings](#)

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore**
RELEASE 1.8Welcome
United States Patent and Trademark Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)» [Search Results](#)**Welcome to IEEE Xplore**

- ☐ [Home](#)
- ☐ [What Can I Access?](#)
- ☐ [Log-out](#)

Tables of Contents

- ☐ [Journals & Magazines](#)
- ☐ [Conference Proceedings](#)
- ☐ [Standards](#)

Search

- ☐ [By Author](#)
- ☐ [Basic](#)
- ☐ [Advanced](#)
- ☐ [CrossRef](#)

Member Services

- ☐ [Join IEEE](#)
- ☐ [Establish IEEE Web Account](#)
- ☐ [Access the IEEE Member Digital Library](#)

IEEE Enterprise

- ☐ [Access the IEEE Enterprise File Cabinet](#)

Your search matched **0** of **1121826** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.** [Print Format](#)[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore[®]**
RELEASE 1.8Welcome
United States Patent and Trademark Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)» [Search Results](#)**Welcome to IEEE Xplore[®]**

- ☐ [Home](#)
- ☐ [What Can I Access?](#)
- ☐ [Log-out](#)

Tables of Contents

- ☐ [Journals & Magazines](#)
- ☐ [Conference Proceedings](#)
- ☐ [Standards](#)

Search

- ☐ [By Author](#)
- ☐ [Basic](#)
- ☐ [Advanced](#)
- ☐ [CrossRef](#)

Member Services

- ☐ [Join IEEE](#)
- ☐ [Establish IEEE Web Account](#)
- ☐ [Access the IEEE Member Digital Library](#)

IEEE Enterprise

- ☐ [Access the IEEE Enterprise File Cabinet](#)

Your search matched **0** of **1121826** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.** [Print Format](#)[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

 Print Format

Your search matched **8** of **1121826** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance in Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set
Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Ultrafast nonlinear interferometer (UNI)-based digital optical circuits and their use in packet switching

Bintjas, C.; Vlachos, K.; Pleros, N.; Avramopoulos, H.;

Lightwave Technology, Journal of , Volume: 21 , Issue: 11 , Nov. 2003

Pages:2629 - 2637

[\[Abstract\]](#) [\[PDF Full-Text \(462 KB\)\]](#) IEEE JNL

2 Generating series and performance bounds for convolutional codes over burst-error channels

Pimentel, C.;

Vehicular Technology, IEEE Transactions on , Volume: 51 , Issue: 5 , Sept. 2002

Pages:1011 - 1017

[\[Abstract\]](#) [\[PDF Full-Text \(529 KB\)\]](#) IEEE JNL

3 Novel control channel quality improvement in satellite communication systems employing high coding gain FEC

Morikura, M.; Kubota, S.; Enomoto, K.; Kato, S.;

Global Telecommunications Conference, 1988, and Exhibition. 'Communications for the Information Age.' Conference Record, GLOBECOM '88., IEEE , 28 Nov.-1 Dec. 1988

Pages:136 - 140 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(256 KB\)\]](#) IEEE CNF

4 Error Distribution and Diversity Performance of a Frequency-Differential PSK HF Modem

Porter, G.;

Communications, IEEE Transactions on [legacy, pre - 1988] , Volume: 16 , Issue: 4 , Aug 1968

Pages:567 - 575

[\[Abstract\]](#) [\[PDF Full-Text \(776 KB\)\]](#) IEEE JNL

5 An Efficient Parity Checking Scheme for Random and Burst Errors

Murthy, B.;

Communications, IEEE Transactions on [legacy, pre - 1988] , Volume: 24 , Issue: 2 , Feb 1976

Pages:249 - 254

[\[Abstract\]](#) [\[PDF Full-Text \(536 KB\)\]](#) IEEE JNL

6 Baseband Processing in a High-Speed Burst Modem for a Satellite-Switched TDMA System

Acampora, A.; Langseth, R.;

Communications, IEEE Transactions on [legacy, pre - 1988] , Volume: 27 , Issue: 10 , Oct 1979

Pages:1496 - 1503

[\[Abstract\]](#) [\[PDF Full-Text \(880 KB\)\]](#) IEEE JNL

7 A 20 Mhz BiCMOS peak detect pulse qualifier and area detect servo demodulator for hard disk drive servo loop

Mei-Tjing Huang; Spagna, F.; Blink, J.;

Solid-State Circuits Conference, 1997. Digest of Technical Papers. 44th ISSCC., 1997 IEEE International , 6-8 Feb. 1997

Pages:326 - 327, 480

[\[Abstract\]](#) [\[PDF Full-Text \(980 KB\)\]](#) IEEE CNF

8 Analysis of ignitron switching characteristics for burst mode operation of dual and off resonance high frequency power supplies

McDonald, D.; Phillips, M.; Dollinger, R.; Sarjeant, W.J.;

Power Modulator Symposium, 1990., IEEE Conference Record of the 1990 Nineteenth , 26-28 June 1990

Pages:224 - 226

[\[Abstract\]](#) [\[PDF Full-Text \(204 KB\)\]](#) IEEE CNF

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

About Us

Newsroom

Advisory Board

Submit Web Site

Search Tips

Contact Us

Basic Search[Advanced Search](#) [Search Preferences](#)

memory "block mode" "burst mode" serial 232

Search

☒ All journal sources ☒ All Web sources ☐ Exact phraseSearched for:: All of the words: **memory "block mode" "burst mode" serial 232**Found:: :**18 total** | **0 journal results** | **18 Web results**Sort by:: :**relevance** | date

Save checked results

Email checked results

- ☐ 1. [Agilent 33120A User's Guide](#)
Apr 2003
...interface and RS-**232** interface are...applies to all **Serial** Numbers. Page...Trigger key (**Burst** and **mode** is enabled...Trigger / FSK / **Burst** modulation...connector 7 RS-**232** interface connector...corc
This...
[http://rclsgi.eng.ohio-state.edu/~kingzett/Manuals/Agil...]
[similar results](#)
- ☐ 2. [Agilent 33120A User's Guide](#)
Sep 2002
...interface and RS-**232** interface are...applies to all **Serial** Numbers. Page...Trigger key (**Burst** and **mode** is enabled...Trigger / FSK / **Burst** modulation...connector 7 RS-**232** interface connector...corc
This...
[http://www-ece.eng.buffalo.edu/courses/elab/33120A.pdf]
[similar results](#)
- ☐ 3. [Third Party Hardware for the IBM RISC System/6000 January 15, 1994 DRAFT](#)
Feb 1994
...86 **Memory**...156 **Serial** Ports...185 Terminal Servers (**serial** multiports...
[http://www.uni-kassel.de/hrz/sysadmin/AIX/Hardware/Hae...]
[similar results](#)
- ☐ 4. [Microsoft Word - 9054db v10 120498.doc](#)
Jan 1999
...19 2.2.5 **Burst Mode** and Continuous **Burst Mode** (Bterm "**Burst** Terminate" **Mode**...19 2.2.5.2.
(Bterm "**Burst** Terminate" **Mode**...
[http://www.nikhef.nl/~peterj/datasheets/9054db-1C.pdf]
[similar results](#)
- ☐ 5. [No Title](#)
Oct 1998
...21 APPENDIX B LVLASO SCRAMNET **MEMORY**...8 FIGURE 6 - SCRAMNET **MEMORY** ALLOCATION..
having 32 Mbytes of **memory**. The real-time operating system is VxWorks...
[http://techreports.larc.nasa.gov/ltrs/PDF/1998/cr/NASA...]
[similar results](#)
- ☐ 6. [No Title](#)
Jun 2002
...synchronous / asynchronous / **burst mode** slave support · Bresenham...configuration. The **serial**

for multi **mode** screen. XMAP9 passes...four instances of the **memory** controller and pixel pipe. This buffer...

[<http://honk.physik.uni-konstanz.de/~agx/doc/Indy/rex3....>]

[similar results](#)

- ☐ 7. =====
Note 33.0 System Config of DL Devices No ...
Jul 1995
...RS-**232**-C, RS-422...asynchronous **serial** data via...A **block** diagram of...Direct **memory** access (DMA or...**block-mode** DMA...control. RS-**232**-C **serial** line interface...
[<http://www.ibiblio.org/pub/academic/computer-science/h...>]
[similar results](#)
- ☐ 8. Agilent 33120A User's Guide
Sep 2002
...interface and RS-**232** interface are...applies to all **Serial** Numbers. Page...Trigger key (**Burst** and **mode** is enabled...Trigger / FSK / **Burst** modulation...connector 7 RS-**232** interface connector...corc This...
[<http://www.ece.buffalo.edu/courses/elab/33120A.pdf>]
[similar results](#)
- ☐ 9. Agilent 33120A User's Guide
Sep 2002
...Interface and RS-**232** interface are...applies to all **Serial** Numbers. Page...Trigger key (**Burst** and **mode** is enabled...Trigger / FSK / **Burst** modulation...connector 7 RS-**232** interface connector...corc This...
[<http://www.ee.buffalo.edu/courses/elab/33120A.pdf>]
[similar results](#)
- ☐ 10. HP 33120A User's Guide
Mar 2002
...interface and RS-**232** interface are...applies to all **Serial** Numbers. The...Trigger key (**Burst** and **Burst** modulation is enabled. Sweep **mode** is enabled...Enter Number" **mode** is enabled...Trigger / input...connector 7 RS-**232** interface connector...
[<http://ee.washington.edu/stores/manuals/33120a.pdf>]
[similar results](#)

Results Pages: [[<< Prev](#)] 1 2 [[Next >>](#)]

[back to top](#)

[Test Zone](#) | [Toolbar](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Download Search Box](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by [FAST](#) © Elsevier 2005



SCIENCE @ DIRECT

Register or Login: Password:

[Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#)

[Help](#)

Quick Search: within [All Full-text Sources](#) [Search Tips](#)

results 1 - 1

1 Articles Found

pub-date > 1822 and memory AND block mode AND burst mode

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#)

[Search Within Results](#)

View: [Citations](#) Sort By: [Date](#)

1. ☐ **Why the Q-bus lives on • ARTICLE**
Microprocessors and Microsystems, Volume 10, Issue 2, March 1986, Pages 108-114
 Steve Dawes
[Abstract](#)

1 Articles Found

pub-date > 1822 and memory AND block mode AND burst mode

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#)

results 1 - 1

[Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#)

[Help](#)

[Feedback](#) | [Terms & Conditions](#) | [Privacy Policy](#)

Copyright © 2005 Elsevier B.V. All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.



SCIENCE @ DIRECT

Register or Login: Password: [Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#)

Help

Quick Search: within [All Full-text Sources](#) Search Tips

results 1 - 1

1 Articles Found

pub-date > 1822 and block mode AND burst mode

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#) View: [Citations](#) Sort By: [Date](#)

1. ☐ **Why the Q-bus lives on • ARTICLE**
Microprocessors and Microsystems, Volume 10, Issue 2, March 1986, Pages 108-114
Steve Dawes
[Abstract](#)

1 Articles Found

pub-date > 1822 and block mode AND burst mode

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#)

results 1 - 1

[Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#)

Help

[Feedback](#) | [Terms & Conditions](#) | [Privacy Policy](#)

Copyright © 2005 Elsevier B.V. All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.